

BRADSTONE

Hulland Ward, Ashbourne
Derbyshire DE6 3ET
Bradstone consumer helpline: 01335 372289
General enquiries: 01335 372222
Email: bradstone.garden@aggregate.com

bradstone.com



© Aggregate Industries UK Ltd 2019.
Registered address: Bardon Hall, Copt Oak Road, Markfield, Leicestershire, LE67 9PJ. No: 00245717 | BRADBROA19



You've got it in bradstone

2019

BRADSTONE

You've got it in
bradstone

LOOKING FOR
INSPIRATION?

Take the party
outdoors

*A little texture
goes a long way*

Making the most of
the smallest spaces

COVER FEATURE
Old Town in Grey-Green

BRADSTONE

*Everything you need
to transform your
outdoor space, here in*


one place

*Looking for inspiration to get your
imagination running wild with ideas to
create the outdoor space you've always
dreamed of?*

You've got it in one book – packed with new styles,
including all our established favourites and capturing over
60 years of experience in bringing your ideas to life.

Let us help you transform your area – whatever the shape
or size – into somewhere that fits your needs perfectly.
A wonderful space to entertain with friends, kick back
with a good book or just take a well-earned break from
the everyday hustle and bustle.

To see your favourites in person before you buy, order
one of our free samples from bradstone.com. For expert
advice and inspiration, you can always rely on award-
winning designer, Paul Hervey-Brookes. Plus, our network
of accredited Bradstone Assured installers are on hand to
make sure everything runs beautifully smoothly.



*Brilliantly
British made*



It's good to know that all our concrete
landscaping products are manufactured
right here in the UK*.

Our quarries, factories and offices cover the
length and breadth of Britain. So choose
Bradstone when you want to be truly sure
of quality, performance and style.

Look out for the flag as you flick through
this brochure. It's the sign which shows
you're getting the best of British.



*Three samples, one box.
Find the one for you*

We always advise that before you buy
our paving products, you get to see and
feel them first. Choose up to three of our
product samples by ordering one of our
free sample boxes. And receive yours
within five working days.

**Order your free sample box today at
bradstone.com or call 01335 372289**

*Excluding Carpet Stones

Create your dream garden one step at a time with Bradstone

Planning and Design

Before you bring us into your plans, you may already have an idea of what you want from your space. It's worth jotting any ideas down in a sketchbook or writing a brief to give your landscaper, so they can come up with the best design for you.

Here are a few things you should consider first:

- Are there restrictions in and around your garden, like access to the back, overhead cables or shared side gates?
- Are there any tree roots, drainage or existing sub-bases?
- Do you have a driveway to store a skip? You may need permission to put one on the road
- Our Bradstone Assured installers are experts in landscape installation. And with expertise comes significant lead times, so be sure to plan ahead to secure the landscaper you want
- Our website features amazing trends to ignite plenty of outdoor inspiration. And you can find tips and images of our favourite outdoor spaces on our social media channels, where you can join in the conversation about transforming outdoor spaces

Creating an outdoor space you love takes planning, consideration and expertise.

And at Bradstone, we have all the skills, knowledge and products to bring your dream space to life.




Choosing your products

Thinking about your budget is important when choosing the product for you. We always give you an idea of price, so look out for our **£ icons** on each of the product pages.

It's also worth knowing that only around 20% of the total project cost is spent on the product. This avoids any surprises further down the line, making the process smoother and quicker for you and your landscaper.

We have over **130 products** to choose from, including porcelain, concrete and natural stone for paving, driveways and landscaping features. Before making your decision, we advise reading the introductions to our products to familiarise yourself with any must-know information. You can also refer to Additional and Key Product Information from page 160.



Find a stockist near you

To find the Bradstone stockist nearest to you, visit bradstone.com, select **'Find a stockist'** and enter your postcode. We have stockists nationwide, so we're never far away.

Order a sample

To see our products in the flesh, order a **free sample box at bradstone.com today.**

Installation

We have a network of **Bradstone Assured installers** across the UK. So, you'll have no problem finding the right expert to transform your space. Every one of our Bradstone Assured installers are quality assessed and fully insured, to give you complete peace of mind. And we advise booking them in advance to avoid disappointment.

Find out more about why you should choose a Bradstone Assured installer on the next page.



Aftercare

It's important to keep your garden or driveway looking healthy, tidy and full of life! So, it's worth letting your landscaper know exactly how much time you want or have to dedicate to the upkeep of your new outdoor space. They'll be able to advise you and design something realistic that fits with your preferences.

Top Tip: Regular cleaning and maintenance is essential to keep your patio or driveway looking its best for longer. Ask your installer for details. For further information about looking after your paving see page 180.



BradstoneUK
bradstoneuk
bradstoneuk
bradstoneUK
@BradstoneUK

Here's the team you can always trust

Find your Bradstone Assured installer

If you don't want to spend hours scouring the internet or the local newspaper, just enter your postcode at bradstone.com and you'll get a list of local installers you know you can trust. Each installer's profile tells you a bit about them and what they specialise in. So just pick whoever you think you'd be happy to have working for you and ask them for a quote online.

If you want some help finding an installer, call us on **01335 372331**

Our Assured promise to you:

 10 YEAR GUARANTEE ON PRODUCTS*	 5 YEAR GUARANTEE ON INSTALLATION*
 QUALITY ASSESSED INSTALLERS	 INSURED FOR YOUR PEACE OF MIND



Working with your Bradstone Assured installer

So, you've now got a landscaping and gardening professional on your side. Don't be afraid to ask lots and lots of questions; make the most of their experience and expertise. And together, you'll work out the best way to install your perfect patio, pathway or driveway. Your Bradstone Assured installer may also be able to share their extensive experience and knowledge of successful planting, lawns, walling and finishing-touch features.



BRADSTONE  **Assured™**

Rest assured – and enjoy the process

Once everything has been planned and agreed, you can simply sit back and let your Bradstone Assured installer get on with the job. From start to perfect finish, they'll do what's needed to keep it running smoothly. And when the project's finished, you'll have the complete confidence of knowing both product and installation are guaranteed*.



Discover more, visit bradstone.com/assured



10-15

Trends

We know what's trending in the world of outdoor living, so whether it's a space to entertain, creating a sanctuary with an urban garden or adding richness and depth with texture, we have bags of inspiration to kick start your very own outdoor transformation.



16-57

Porcelain Collection

If you think porcelain is a little too delicate for paving, you're in for a very pleasant surprise. As well as providing a smooth, elegant finish, it also offers an amazingly hard wearing, scratch resistant and low maintenance surface.



58-91

Concrete Paving

Achieve stunning results which really stand the test of time. This collection offers a wide range of long-lasting, superbly stylish paving. We're constantly adding new ranges too – giving you even more choice and opening up exciting design opportunities.



92-119

Natural Stone Ranges

Nothing quite matches the rugged qualities and inherent beauty of natural stone. Each piece of ethically sourced sandstone, limestone, granite and slate is wonderfully unique.



120-141

Driveway Block Paving

We've added flair to functionality and put together a range of driveway products which are as stylish as they are practical. From classic to contemporary, there's a design to suit every home and everyone's taste.

142-159

Landscaping Features

The beauty is in those final flourishes and finishing touches. Discover a range of walling, edging, coping and stepping stones which help create beautifully original and dramatically unique results.



160-183

Technical Information

If you're looking for the finer detail on all our products, we've organised this into its own section. You'll find laying guides, sizes, what comes in a patio pack, the shades available and even the thickness of the paving.



[YouTube BradstoneUK](#)
[Instagram bradstoneuk](#)
[Pinterest bradstoneuk](#)
[Facebook bradstoneUK](#)
[Twitter @BradstoneUK](#)



Get the assurance of

BRADSTONE  **Assured**

Our nationwide network of landscapers are experts in making your garden or driveway dreams a reality. Find your nearest Bradstone Assured installer at [bradstone.com/assured](https://www.bradstone.com/assured)



Find a stockist

Looking for your local Bradstone stockist?

There's only **one** place to go.

To find the Bradstone stockists nearest to you, just visit [bradstone.com/stockists](https://www.bradstone.com/stockists), click 'Find a stockist' and enter your postcode. We have stockists nationwide, so we're never far away.

Take the party outdoors

We all want an outdoor space we're proud to host in. We want something that feels like an extension of our home and reflects our personal style. Somewhere that's comfortable, cosy and cool, that's ideal for a civilised lunch or dinner-party that lasts until the early-hours. And with the right products and design, it can be just that.

To help strike inspiration, we've got some design tips on how make your outdoor area the best entertaining spot it can be.

Firepit tables create a warm, inviting ambience for any gathering.



Riverwashed Limestone paving, installed by
Bradstone Assured landscaper Alfresco Landscaping –
www.alfrescolandscaping.co.uk



*Entertain all year
round with a
stylish, sheltered
seating area.*

*Riverwashed Limestone in
Steel Grey and Graphite kerbs*



Paving in different colour variants lets you experiment and be more flexible with accessories and colour palettes.

Old Town paving in Grey-Green

A little texture goes a long way

From rustic stone to contemporary paving, incorporating textures into your outdoor space adds depth. Different textures can each bring with them a different ambience, meaning you can create a garden that's perfect for you and your family. Paving or walling is the easiest way to bring the textured trend to your garden without overcrowding spaces.

We've got plenty of products and tips to help you achieve a beautiful textured, space.

Bring in even more textures with different fabrics.



Create an open area for a space the whole family will enjoy spending time in.

Making the most of small spaces

Even with the smallest outdoor spaces, you can still create your dream garden. Make the most of the limited space you have by adding layers with different materials. And inject personality with colourful and patterned pieces like ceramics, rugs and chairs. Wall gardens are a huge trend for urban spaces this year, as they look the part while saving on floor space.

We've got plenty of advice on how to make the most of your limited space. Because small areas can become beautiful spaces.

Don't hold back on colour and play with bold and bright shades.



Geometric rugs are a great way to bring contemporary style outdoors.



Opt for seating with a difference with hanging chairs that take up minimal space.



Pops of colour and pattern add the perfect amount of personality without overcrowding spaces.

Panache paving in White, Silver Grey and Midnight Grey



Discover more, visit [bradstone.com](https://www.bradstone.com)

Porcelain Collection

Our beautiful range of porcelain paving truly gives you the best of both worlds

Porcelain paving is formed by baking a mixture of clay, sand and other minerals in a high-temperature kiln, producing an incredibly durable and non-porous material.

Being resistant to water absorption ensures that porcelain paving requires very little maintenance. There's no need to apply a sealant as liquids such as oils and chemicals cannot penetrate the surface, so they can easily be cleaned away.

An exceptionally dense material, porcelain paving is extraordinarily hard-wearing; something not always synonymous with porcelain. Scratch resistant too, it's perfect for those high footfall paths and for pairing with garden tables and chairs to shape stunning outdoor spaces.

Consistently accurate sizes allow porcelain paving to be laid with narrow joints that help you give your garden a modern appearance. All Bradstone porcelain paving is specially produced to be used outdoors, meaning it has a slightly rougher surface texture than indoor tiles. Smoother surfaced, 10mm thick versions* are also available to order to allow you to also use this paving indoors. This means you can create a harmonious flow from house to garden for the ultimate in outdoor living.

ROMELI®	19	MODE® TEXTURED	43
HALUSTM	21	PAUTA®	45
ASPERO®	23	CAUSSE®	47
VETUSTO®	27	TORDILLO®	49
MANZANO®	31	MADERA ANTIGUA®	51
MANZANO® MOSAICS	33	ARENARIA®	53
MODE® PROFILED	35	BROOKLYN®	55
MODE® PROFILED STEPS	41	TEPHRA®	57

*Includes: Mode Textured, Manzano (excluding Mosaics), Tordillo, Tephra and Brooklyn ranges.

! IMPORTANT INFORMATION:

Although every effort is made to ensure accuracy, all images are for illustrative purposes only. Due to varying light conditions, it is not always possible to show the true colours of our products in a photograph. To ensure you are completely happy with the product before ordering, you can order a sample at [bradstone.com](https://www.bradstone.com) or from our Customer Care team on 01335 372289.



Romeli paving in Grey blend



Porcelain
Collection

ROMELI® NEW RANGE

Authentic design with contemporary features

A hard-wearing, scratch resistant and low maintenance paving that is ideal for bringing a modern, contemporary style to gardens and patios. It is designed to mimic the look of natural stone and its unique qualities offering a huge variation in colour.

For technical details go to page 160.



Buff blend (Bf)



Grey blend (G)

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 158 and 180. Visit our [YouTube](#) channel BradstoneUK to watch our 'How to lay porcelain paving' video.



Romeli paving in Buff blend



Discover more, visit [bradstone.com](https://www.bradstone.com)

Halus paving in Grey



HALUS™ NEW RANGE

The best of both worlds with authentic design and contemporary features

Halus™ is a hard-wearing, scratch resistant and low maintenance paving solution, ideal for bringing a modern, contemporary style to gardens and patios. Designed to mimic the unique qualities of natural stone, every paver offers a huge variation in colour. However, it doesn't require the sealing needed for Smooth Natural Sandstone. It is available in a patio pack consisting of four different sized pavers in a choice of two shades, Buff or Grey.

For technical details go to page 160.



Buff (Bf)



Grey (G)

IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 158 and 180. Visit our  **YouTube** channel BradstoneUK to watch our 'How to lay porcelain paving' video.

Halus paving in Buff





Aspero paving in Dark Grey installed by Bradstone Assured landscaper,
Assured Driveways – www.assureddriveways.co.uk



Porcelain
Collection



ASPERO®


Aspire to cutting-edge style

ASPERO®

Aspire to cutting-edge style

Aspero is an ultra-modern, strong and durable porcelain paving. It has a fine riven texture featuring mica crystals to add interest and sparkle to your patio and comes in four stunning shades that won't fade. It is available in a patio pack that features three different sizes for more of a randomised, natural appearance. We also have a range of steps with edging and coping to perfectly complement Aspero paving, enabling you to create a coordinated finish to your garden.

For technical details go to page 160.



Beige (Bg)



Dark Grey (DG)



Silver Grey (SG)



Graphite (Gr)

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 158 and 180. Visit our [YouTube](#) channel BradstoneUK to watch our 'How to lay porcelain paving' video.



Aspero paving in Silver Grey and Dark Grey, installed by Bradstone
Assured landscaper T Perrin and Sons - www.tperrinandsons.co.uk

LOOKS GREAT WITH
MODE PROFILED STEPS
SEE PAGE 41



Get a feel for any of our products with a **free sample**. Visit bradstone.com



Vetusto paving in Dune, installed by Bradstone Assured
landscaper Habitat Landscapes - www.habitatlandscapes.co.uk



Porcelain
Collection



VETUSTO®

The profile of slate, the personality of porcelain

Vetusto paving in Blue-Black

££££

Porcelain
Collection

VETUSTO®


The profile of slate, the personality of porcelain

Vetusto combines the characteristics of aged slate and the benefits of modern porcelain. Its distinctive colour brings a 'lived in' feel to your garden. Being porcelain, it's strong, durable, resistant to staining and resistant to colour fading. It is available in a patio pack, featuring three different sizes for more of a random, natural appearance.


For technical details go to page 161.



Dune (Du)



Blue-Black (BB)



Rustic Gold (RG)

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 158 and 180. Visit our [YouTube](#) channel BradstoneUK to watch our 'How to lay porcelain paving' video.



Vetusto paving in Dune, installed by Bradstone Assured landscaper Habitat Landscapes - www.habitatlandscapes.co.uk

LOOKS GREAT WITH
NATURAL SANDSTONE WALLING
SEE PAGE 145



Discover more, visit bradstone.com

MANZANO®

Create a polished, designer look

Manzano incorporates a distinctive and varied colour blend to create the ultra contemporary appearance of polished concrete. Being porcelain, you can expect exceptional strength and durability with no colour fading. Available in a choice of sizes and three shades. Why not incorporate Manzano Mosaics in your garden design to give it a more distinct appearance?

For technical details go to page 161.



Pearl (Pe)



Black (Bl)



Grey (Gy)

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 158 and 180. Visit our [YouTube](#) channel BradstoneUK to watch our 'How to lay porcelain paving' video.

Manzano paving in Pearl finished with Woburn Rumbled in Graphite



Manzano paving in Pearl, installed by Bradstone Assured landscaper PB Landscapes of Melbourne – www.pblandscapes.co.uk

££££

Porcelain
Collection



FREE SAMPLES
OF OUR PRODUCTS AVAILABLE
AT BRADSTONE.COM



Manzano paving in Grey and Grey Mosaic, installed by Bradstone Assured landscaper
GK Wilson Landscape Services - www.gkwilsonlandscaping.co.uk




Porcelain
Collection

MANZANO® MOSAICS

A distinctive finish that's uniquely yours

Manzano mosaic flags are randomly designed and supplied in mixed packs to complement Manzano. They offer endless design options for your garden, to be used as edging, corners, a central feature or even randomly placed throughout the patio, allowing you to create something really unique. There are at least 12 individual mosaic design motifs that we use to create our mosaic flags so that your patio is as authentic as it can be. The packs contain a random mix of flags, showing either one full sized motif or four similar ones per paver to add interest to your garden design. All three shades are available in 600x600 pavers and our Pearl mosaics are available in two further sizes.

For technical details go to page 161.



Pearl Mosaic



Black Mosaic




Grey Mosaic



**Example of
a four motif**
600 x 600mm
paver.



**Example of
a single motif**
600 x 600mm
paver.



**Example of an
eight motif**
600 x 300mm
paver. Only
available in
Pearl Mosaic.



Example of a four motif
900 x 225mm paver.
Only available in
Pearl Mosaic.

Designed by Paul Hervey-Brookes,
Gold medal winner at RHS Hampton Court Palace Flower Show 2017



Discover more, visit bradstone.com





Mode Profiled paving in Graphite, installed by Bradstone Assured landscaper LB Landscaping - www.lblandscaping.co.uk



Porcelain
Collection



MODE® PROFILED

The definition of contemporary elegance

Mode Profiled paving in Silver Grey

££££

Porcelain
Collection




LOOKS GREAT WITH
NATURAL SLATE WALLING
SEE PAGE 145

MODE® PROFILED

The definition of contemporary elegance

Mode Profiled is a range of beautiful porcelain paving that adds modern sophistication to any garden. It has a fine riven texture featuring mica crystals to add interest and sparkle to your patio. Available in two sizes and four attractive shades, this paving is impactful while being incredibly easy to live with, as it is resistant to staining and low maintenance. We also have a range of steps, edging and coping in four shades that allow you to create a coordinated look for your garden.

For technical details go to page 162.



Beige (Bg)



Dark Grey (DG)



Silver Grey (SG)



Graphite (Gr)

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 158 and 180. Visit our [YouTube](#) channel BradstoneUK to watch our 'How to lay porcelain paving' video.



Mode Profiled paving in Dark Grey, image courtesy of Darren Findlow Photography




Mode Profiled paving in Graphite, installed by Bradstone Assured landscaper PB Landscapes of Melbourne – [www.pblandscapes.co.uk](#)



Mode Profiled paving in Beige, installed by Bradstone Assured landscaper T Perrin and Sons - [www.tperrinandsons.co.uk](#)



Porcelain
Collection



LOOKS GREAT WITH
MODE PROFILED STEPS
SEE PAGE 41



Discover more, visit [bradstone.com](#)



Mode Profiled steps in Dark Grey and Natural Slate walling slips in Blue-Black, installed by Bradstone Assured landscaper PB Landscapes - www.pblandscapes.co.uk



Porcelain
Collection

MODE® PROFILED STEPS

Practicality and elegance combined

Create a stairway that delights with every step by choosing Mode Profiled steps as the ideal partner for either Aspero or Mode Profiled porcelain paving.

For technical details go to page 162.



Beige (Bg)



Silver Grey (SG)



Dark Grey (DG)



Graphite (Gr)




IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 158 and 180. Visit our [YouTube](https://www.youtube.com/channel/UCBradstoneUK) channel BradstoneUK to watch our 'How to lay porcelain paving' video.



Mode Profiled steps in Beige, installed by Bradstone Assured landscaper T Perrin and Sons - www.tperrinandsons.co.uk



For more inspiration visit bradstone.com

MODE® TEXTURED

Beautifully sleek and stylish

Mode Textured has a finely grained finish to create the feel of the highest quality natural sandstone. It also has all the benefits of porcelain paving; strong, durable, resistant to staining, low maintenance and resistant to colour fading. Available in four shades, you can create the ultimate outdoor space.

For technical details go to page 162.



Beige (Bg)



Shell (Sh)



Dark Grey (DG)



Graphite (Gr)

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 158 and 180. Visit our [YouTube](#) channel BradstoneUK to watch our 'How to lay porcelain paving' video.



Mode Textured paving in Beige



Mode Textured paving in Dark Grey



Mode Textured paving in Graphite, installed by Bradstone Assured landscaper Bishops Landscaping - www.bishopslandscaping.com



Porcelain
Collection



FREE SAMPLES
OF OUR PRODUCTS AVAILABLE
AT BRADSTONE.COM



PAUTA®

Maximum strength, minimalist styling

Pauta features a speckled design to create the look of natural granite with all the benefits of modern porcelain. You can expect exceptional strength, durability, resistance to colour fading and low maintenance. Available in two sizes with two different shades, you can mix and match to suit your style.

For technical details go to page 163.



Silver Grey (SG)



Mid Grey (MG)

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 158 and 180. Visit our [YouTube](#) channel BradstoneUK to watch our 'How to lay porcelain paving' video.



Pauta paving in Silver Grey

Causse paving in Light Grey



CAUSSE®

Porcelain paving with a spot of individuality

Causse replicates all the distinctiveness and individuality of Belgian Blue limestone, even down to the characteristic white flecks. Being porcelain, you can expect exceptional strength, durability, resistance to colour fading and low maintenance. Available in one size with two different shades, you can mix and match it to suit your style.

For technical details go to page 163.



Light Grey (LG)



Dark Grey (DG)



IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 158 and 180. Visit our [YouTube](#) channel BradstoneUK to watch our 'How to lay porcelain paving' video.

Causse paving in Dark Grey

FREE SAMPLES
OF OUR PRODUCTS AVAILABLE
AT [BRADSTONE.COM](https://www.bradstone.com)



Discover more, visit [bradstone.com](https://www.bradstone.com)



TORDILLO®

A marvel in marble

Tordillo combines the world of beautiful natural marble with the benefits of modern porcelain. Its stunning swirls and exquisite veining are complemented by exceptional strength, durability, resistance to colour fading and minimal maintenance. Available in 600x600mm.


For technical details go to page 163.



White (Wh)

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 158 and 180. Visit our [YouTube](#) channel BradstoneUK to watch our 'How to lay porcelain paving' video.



Discover more, visit **bradstone.com**

Beautiful paving does not grow on trees

Madera Antigua brings an authentic aged timber look to any garden, but without the warping or degradation associated with real wood. Being porcelain, it's strong, durable, resistant to staining and resistant to colour fading. It's available in two colours, each with subtle shading variations for a realistic wood appearance.

For technical details go to page 164.



Grey (**Gy**)

Oak (**Oa**)

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 158 and 180. Visit our  **YouTube** channel BradstoneUK to watch our 'How to lay porcelain paving' video.



Madera Antigua paving in Grey, installed by Bradstone Assured landscaper PB Landscapes of Melbourne – www.pblandscapes.co.uk

ARENARIA®

NEW RANGE

When good looks meets practicality

Designed to replicate the look of randomly laid natural sandstone and with consistently accurate sizes, the Arenaria patio pack can be laid with thin joints for a traditional feel with a contemporary twist.

For technical details go to page 164.



Dark Grey (DG)



Light Grey (LG)



Cream (Cr)

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 158 and 180. Visit our [YouTube](#) channel BradstoneUK to watch our "How to lay porcelain paving" video.

Arenaria paving in Cream



Arenaria paving in Light Grey


£££

Porcelain
Collection



Brooklyn paving in Cream

£££



FREE SAMPLES
OF OUR PRODUCTS AVAILABLE
AT [BRADSTONE.COM](https://www.bradstone.com)

Porcelain
Collection

BROOKLYN® NEW RANGE

Urban style to modernise your outdoors

An ultra modern design that comes in one size, Brooklyn creates an urban look in any outdoor space.

For technical details go to page 164.



Dark Grey (DG)



Light Grey (LG)



Cream (Cr)

! IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 158 and 180. Visit our [YouTube](https://www.youtube.com/channel/UCBradstoneUK) channel BradstoneUK to watch our 'How to lay porcelain paving' video.

Brooklyn paving in Light Grey



Tephra paving in Cream



Porcelain
Collection

TEPHRA® NEW RANGE

Contemporary style you'll enjoy for years

This range imitates the look of contemporary sawn sandstone. It's available in one size of paver for a uniform pattern.

For technical details go to page 165



Dark Grey (DG)



Light Grey (LG)



Cream (Cr)

IMPORTANT LAYING INFORMATION:

Bradbond slurry primer needs to be applied to the reverse of each paver prior to laying to aid adhesion. See pages 158 and 180. Visit our  **YouTube** channel BradstoneUK to watch our 'How to lay porcelain paving' video.

Tephra paving in Light Grey



Get a feel for any of our products with a **free sample**. Visit bradstone.com

Concrete Paving

A range of concrete paving that combines style, strength and design flexibility

Concrete, or reconstituted stone paving, is formed by moulding a mix of stone, sand, cement and water before being left to cure.

The result is a strong, durable paving with endless colour and surface texture options, combinations of which can help to create a contemporary or traditional look within your garden.

Concrete paving moulds are created from perfect versions of the desired shape called ‘masters’ and at Bradstone we produce them ourselves, by hand, the only way to ensure the highest quality.


We’re even able to replicate normally scarce and time-worn reclaimed natural stone with consistent thickness that suits all budgets.

OLD TOWN®	61
CARPET STONES	65
STONEMASTER®	67
PANACHE GROUND	69
MAHINA®	71
MOORDALE TEXTURED	73
OLD RIVEN	75
AGED RIVEN	79
ASHBOURNE™	81
TEXTURED	85
EDALE	89
PEAK	91


IMPORTANT INFORMATION:

Although every effort is made to ensure accuracy, all images are for illustrative purposes only. Due to varying light conditions, it is not always possible to show the true colours of our products in a photograph. To ensure you are completely happy with the product before ordering, you can order a sample at [bradstone.com](https://www.bradstone.com) or from our Customer Care team on 01335 372289.







Old Town paving in Old Quarried, installed by Bradstone Assured landscaper MB Landscaping and Paving – www.mblandscaping.co.uk



OLD TOWN®

Recall the look and feel of days gone by

Old Town paving is perfect for creating a garden with a charming, traditional look. Made from moulds formed from the flooring of a derelict 19th century Lancashire Cotton Mill, its finish looks just like authentic reclaimed stone. With the appearance of timeworn York flagstones incorporating original tooling marks and weathered edges, there are over 30 different profiles in the range to give a truly random appearance to your patio. It is available in four colours, two circle sizes and a unique patio kit which includes slate on edge feature paving. And matching Old Town walling, edging and coping is available to create a streamlined look.

For technical details go to page 166.



Grey-Green **(GG)**




Dark Grey **(DG)**



Weathered Limestone **(WL)**



Old Quarried **(OQ)**



LOOKS GREAT WITH
RUSTIC ROPE TOP EDGING
SEE PAGE 151



CARPET STONES

Liven up your outdoor space – give it a carpet!

Carpet Stones are easy to lay to achieve an intricate rustic design in your garden. The cobbles are pre-laid on an underlying flexible mat, which can be simply cut and shaped with a pair of scissors to fit any awkward areas or to create elaborate designs, effortlessly. For a realistic cobble effect, just cut and interlock the mats. Carpet Stones can also be used on your driveway and are available in Charcoal or Rustic Red.

For technical details go to page 167.



Charcoal (Ch)



Rustic Red (RR)



Carpet Stones in Charcoal



StoneMaster paving in Light Grey,
Mid Grey and Dark Grey



Concrete
Paving

STONEMASTER®


*Contemporary paving that's long on
style, quality and durability*

StoneMaster is a long aspect paving which can be used to create the illusion of more space in your garden. Available in three grey shades to replicate natural granite, they're sold in single colour packs which you can mix to create the perfect look. It's also treated with Bradstone Surface Protection for long-lasting resistance against stains such as oil, grease and moss. You can continue the look around your whole home with StoneMaster block paving.

For technical details go to page 167.



Light Grey (LG)



Mid Grey (MG)



Dark Grey (DG)



FREE SAMPLES
OF OUR PRODUCTS AVAILABLE
AT **BRADSTONE.COM**



Discover more, visit **bradstone.com**

NOTE: This paving is sold in single colour packs.
To achieve the appearance shown in the image please order packs of all 3 shades.

Panache Ground paving in White, Silver Grey and Midnight Grey



Concrete
Paving

PANACHE GROUND

The easy way to make any patio sparkle

Panache Ground can make your patio sparkle with its smooth surface and light reflecting particles. Available in three stunning shades of grey, which can be mixed to create your own unique outdoor area. And, with 83% recycled content, it's kinder to the environment too.

For technical details go to page 167.




White (Wh)



Silver Grey (SG)



Midnight Grey (MG)



*Panache Ground
paving in Midnight
Grey and Silver Grey*



Mahina paving in Light Grey, installed by Bradstone Assured landscaper PB Landscapes of Melbourne – www.pblandscapes.co.uk



FREE SAMPLES
OF OUR PRODUCTS AVAILABLE
AT BRADSTONE.COM



Find your local stockist at bradstone.com/stockists

Concrete
Paving

MAHINA®

Contemporary paving given a touch of style

Mahina paving gives any garden a modern and refined feel with its stylish textured finish. It is available in two shades of grey, both with a contemporary fleck to replicate granite, allowing you to create a unique look. And, with 40% recycled content, it's kinder to the environment too.

For technical details go to page 168.



Light Grey (LG)



Dark Grey (DG)



*Mahina paving
in Dark Grey*

MOORDALE TEXTURED

NEW RANGE

High quality paving with an authentic, sophisticated look

A superior textured flag paving that contains Yorkstone and limestone aggregates to give an enhanced, textured look. Moordale is ideal for creating large areas of warm solid colour. It comes in three sizes to allow modular laying patterns and in two colours, Buff and Natural.

For technical details go to page 168.




Buff (Bf)



Natural (N)

Moordale Textured paving in Buff



Old Riven paving in a blend of Autumn Gold, Autumn Bronze and Autumn Cotswold



Concrete
Paving

OLD RIVEN

Visual appeal with options galore

Old Riven two ring circle with squaring off kit in Autumn Cotswold



LOOKS GREAT WITH
ANCESTRY EDGING
SEE PAGE 154

Concrete
Paving

OLD RIVEN

Visual appeal with options galore

Old Riven is perfect for creating an affordable patio area that doesn't compromise on style and quality. Its authentic good looks with straight sawn edge details are inspired by natural quarried stone. It is available in single sizes, circles and a patio pack.

For technical details go to page 168.



Autumn Bronze (ABr)



Autumn Cotswold (AC)



Autumn Gold (AG)



Autumn Silver (AS)

Old Riven circle in Autumn Silver



Discover more, visit [bradstone.com](https://www.bradstone.com)



LOOKS GREAT WITH
OLD TOWN EDGING
SEE PAGE 152

AGED RIVEN

Traditional style and charm comes of age

Aged Riven combines the old and the new in perfect harmony. Its distinctive weathered profile gives the paving a traditional and timeworn appearance, while its smooth edge adds a modern feel. Available in a random style patio pack, as well as a single size to create a more uniform pattern.

For technical details go to page 169.



Dark Grey **(DG)**



ASHBOURNE™

Give your patio a rustic feel



ASHBOURNE™

Give your patio a rustic feel

Ashbourne is a distinctive style paving which features a riven surface and fettled edges that together create a stunning, authentic natural stone appearance. It is available in patio packs containing three different sized pavers and a choice of four colours, so you can create a garden feature that is naturally eye-catching.

For technical details go to page 169.



Cotswold (Ct)



York Brown (YB)




York Gold (YG)



Weathered Grey (WG)



Ashbourne paving in York Brown



Ashbourne paving in Cotswold

LOOKS GREAT WITH
ANCESTRY WALLING
SEE PAGE 147

Textured paving and circle in Buff with Woburn Rumbled block paving in Rustic
Image courtesy of Glebe Homes – www.glebehomes.co.uk



Concrete
Paving

TEXTURED

Style and practicality working together in perfect harmony

TEXTURED


Style and practicality working together in perfect harmony

Textured paving offers the perfect balance of flair and function. Available in a range of four colours, up to four sizes and a circle in the buff shade, it incorporates fine white limestone chippings to provide a softened appearance. It is also durable and hard-wearing enough to retain its good looks over the years.

For technical details go to page 170.



Dark Grey (DG)



Grey (Gy)



Buff (Bf)



Red (Rd)



Textured paving in Red



Textured paving in Grey



Concrete Paving

LOOKS GREAT WITH
TEXTURED EDGING
SEE PAGE 154

EDALE

A great value, traditional paving

Edale is a gentle riven paving with smooth edges inspired by the stony footpaths seen on country walks. It's an affordable and traditional paving range that doesn't compromise on style or decorative appeal, and is available in cream, grey and new for 2019, dark grey.


For technical details go to page 170.



Cream (Cr)



Grey (Gy)



Dark Grey (DG)



LOOKS GREAT WITH
ROUND TOP EDGING
SEE PAGE 155



Edale paving in Grey



Concrete
Paving


Peak Smooth paving in Buff



Peak Riven utility paving in Dark Grey



Utility
Paving



PEAK

Utility paving

Peak utility paving is a tough, hard-wearing and low-cost paving solution, making it the perfect base for utility areas and sheds. However, it's not recommended for feature patios. Available in a riven finish in four shades, including new for 2019, dark grey, and a smooth finish in two shades. As a utility paving product these shades will vary.

For technical details go to page 170.



Buff (**Bf**)




Natural (**N**)



Red (**Rd**)



Dark Grey (**DG**)



Buff (**Bf**)



Natural (**N**)



IMPORTANT INFORMATION:

Peak utility paving is not recommended for use in feature patios.

Natural Stone Ranges

When it comes to providing paving choice and individuality, nothing quite matches up to natural stone.

For Bradstone, natural stone encompasses ranges using natural sandstone, limestone, granite and slate. All ethically sourced from around the world, the beauty of natural stone paving is that it is truly unique. Each paver is different from the last with variations of colour and texture enhanced by nature over thousands of years. So, we recommend ordering one of our samples to get a closer look and feel for our natural stone products. We also strongly recommend seeing a larger display at one of our stockists before purchasing.

Our large variety of stone types allows us to offer products that range from the traditional, and quintessentially British, to contemporary paving that is the height-of-fashion. You might want to combine your period property with our long-established natural sandstone or your modern, minimalistic apartment with our sleek natural granite.

All natural stone is incredibly strong and hard-wearing of course, but at Bradstone we go to extra lengths to source only the finest quality stone.

SMOOTH NATURAL SANDSTONE	95
SMOOTH NATURAL SANDSTONE STEPS.....	101
NATURAL GRANITE.....	103
NATURAL SLATE	105
HONEYMEDE LIMESTONE	107
RIVERWASHED LIMESTONE	109
NATURAL LIMESTONE	111
NATURAL SANDSTONE.....	113
BLENDED NATURAL SANDSTONE	119

! IMPORTANT INFORMATION:

Although every effort is made to ensure accuracy, all images are for illustrative purposes only. Due to varying light conditions, it is not always possible to show the true colours of our products in a photograph. To ensure you are completely happy with the product before ordering, you can order a sample at bradstone.com or from our Customer Care team on 01335 372289.

Natural Granite large aspect paving in Silver Grey – See page 103 for more details





SMOOTH NATURAL SANDSTONE

A contemporary paving solution as unique and individual as you are



LOOKS GREAT WITH
MODE PROFILED EDGING
SEE PAGE 146




SMOOTH NATURAL SANDSTONE


A contemporary paving solution as unique and individual as you are

Smooth Natural Sandstone is beautifully distinctive with its superb colour and veining variations. Available in four striking shades, there's sure to be a perfect option for your outdoor space. Also available is a range of lightly textured steps to enable you to create a coordinated finish for your garden.


For technical details go to page 171.




Dune (Du)



Ivory (I)



Silver Grey (SG)



Rainbow (R)

! IMPORTANT LAYING INFORMATION:

Natural stone needs to be handled very carefully when installing to minimise staining and we would advise that Smooth Natural Sandstone is sealed prior to laying. If this is not possible it should be covered up as it is installed and sealed as soon as it is laid.

Smooth Natural Sandstone paving in Silver Grey



SMOOTH NATURAL SANDSTONE STEPS

Practicality and elegance combined

Create a stairway that delights with every step. Our Smooth Natural sandstone steps complement their corresponding paving to ensure they finish off your outdoor space with a beautiful, consistent look.

For technical details go to page 171.

Straight



Silver Grey **(SG)**

Corner



Silver Grey **(SG)**



Dune **(Du)**



Dune **(Du)**




NATURAL GRANITE

Combining outstanding natural beauty with long-lasting durability

Natural Granite brings a modern and minimalist feel to any outdoor space thanks to its straight machine cut edges and textured top surface. Available in four sizes including a large aspect 900x900mm. Our Natural Granite sett is perfect for borders and driveways, as well as patios.


For technical details go to page 171.



Silver Grey (SG)



Silver Grey (SG)



Natural Granite paving in Silver Grey



NATURAL SLATE


A paving solution like no other

Natural Slate creates a unique outdoor space every time. Every piece of slate is individual with its own textures and shades. And it's hand riven and diamond sawn for a crisper edge. Available in two shades to suit different garden styles; Blue-Black is perfect for a modern look and Rustic Gold is the perfect all-rounder for traditional and modern gardens.

For technical details go to page 172.



Blue-Black **(BB)**



Rustic Gold **(RG)**




LOOKS GREAT WITH
NATURAL SANDSTONE WALLING
SEE PAGE 146

HONEYMEDE LIMESTONE

Traditional garden settings were made for this

Honeymede Limestone is distinguished by its natural veining and unique texture and profile. It's set apart from Natural Limestone by its beautiful soft and warm hues and its more rugged finish. The result is paving that offers traditional style and natural good looks. It's available in a patio pack that features six different sizes.

For technical details go to page 172.



Honeymede (H)



LOOKS GREAT WITH
RUSTIC ROPE TOP EDGING
SEE PAGE 151

RIVERWASHED LIMESTONE

Paving awash with style and charm

Riverwashed Limestone paving features a naturally split and partially rubbed surface finish with sawn edges, giving it a beautifully clean and even finish. It's the perfect accompaniment for creating a stunning traditional garden design that has an edge of individuality. It is available in a patio pack that features four different sizes.

For technical details go to page 172.



Steel Grey (StG)



Discover more, visit [bradstone.com](https://www.bradstone.com)



NATURAL LIMESTONE


Add a touch of drama and distinction to your garden

Natural Limestone offers outstanding beauty with unique shades and distinctive natural veining. At the same time, it has superb strength and durability, ensuring your patio looks great for years to come. Available in two stunning colours, Blue-Black and Azure, each colour varies in shades due to the natural element of the paving. As a matter of course Natural Limestone will fade in the sunlight, adding to its beauty, however if you would prefer to keep the colours vibrant we would recommend sealing the paving before installation.

For technical details go to page 173.



Blue-Black **(BB)**



Azure **(Az)**



Natural Limestone paving in Azure





NATURAL SANDSTONE

Helping you create a garden feature that's unique




LOOKS GREAT WITH
NATURAL SANDSTONE WALLING
SEE PAGE 146

NATURAL SANDSTONE

Helping you create a garden feature that's unique

Natural Sandstone will give your patio that touch of exclusivity. The many natural tonal variations, differing riven profiles and exquisite natural veining makes every paver unique. Available in a range of six beautiful natural shades, varied shapes and individual textures so you have a wealth of design possibilities. Circle packs are available in up-to four shades with complementary walling, edging and coping.


For technical details go to page 174.



Fossil Buff (FB)

Autumn Green (AGr)

Modac (M)



Sunset Buff (SB)


Silver Grey (SG)

Heather Ridge (HR)

Some packs may contain unique imprints



Natural Sandstone circle pack in Silver Grey



Natural Sandstone paving in Fossil Buff



Natural Sandstone paving in Autumn Green

££

Natural Stone
Ranges



LOOKS GREAT WITH
NATURAL SANDSTONE EDGING
SEE PAGE 152

BLENDED NATURAL SANDSTONE

An economical calibrated paving with natural quality


Blended Natural Sandstone calibrated patio kits are hand cut and hand dressed to give a more rustic finish. They come in four specially selected colour blends and the pavers are lighter in weight than standard natural sandstone, making them easier to handle and ideal for those budget projects that still require a natural product. All shades are available as a patio pack or a 900x600 single sized paver.

For technical details go to page 173.




Imperial Green (ImG)

Rustic Grey (RG)




Rustic Buff (RB)


Burnt Umber (BU)



Blended Natural Sandstone paving in Rustic Grey



*Blended Natural Sandstone paving in Imperial Green
Right: Blended Natural Sandstone paving in Rustic Buff*



Blended Natural Sandstone paving in Burnt Umber

Driveway block paving

Create the perfect first impression for your home with a driveway that is as aesthetically pleasing as it is practical

A driveway should be a perfect blend of flair and function, of desirability and durability. And Bradstone's range of driveway block paving products provides a variety of driveway solutions that are the very epitome of style and practicality.

Available in a range of traditional and contemporary designs, not to mention an array of different colours and finishes, Bradstone has a driveway to suit everyone's tastes.

STONEMASTER®	123
WOBURN RUMBLED	127
WOBURN RUMBLED INFILTA	131
WOBURN ORIGINAL.....	133
MONKSBRIDGE.....	135
LUMLEY COBBLE®	137
DRIVEWAY	139
DRIVEWAY INFILTA	140
KERBS.....	141

**IMPORTANT INFORMATION:**

Although every effort is made to ensure accuracy, all images are for illustrative purposes only. Due to varying light conditions, it is not always possible to show the true colours of our products in a photograph. To ensure you are completely happy with the product before ordering, you can order a sample at bradstone.com or from our Customer Care team on 01335 372289.






StoneMaster block paving in Dark Grey installed by Bradstone Assured
landscaper Milner Landscapes and Construction- www.milnerlandscapes.com



Driveway
block paving



STONEMASTER® BLOCK PAVING

Mastering the look and feel of natural granite

STONEMASTER® BLOCK PAVING

Mastering the look and feel of natural granite

StoneMaster is a superbly realistic substitute for natural granite. Available in three grey shades you can achieve the exact look of natural granite in your driveway. StoneMaster is available in mixed sized packs containing four different sized pavers or in the ultra contemporary 300x100 single size. It's also treated with Bradstone Surface Protection for long-lasting resistance against stains such as oil, grease and moss. Why not coordinate your driveway with your garden paving? StoneMaster is also available in flag paving so you can continue the look around your whole home.

For technical details go to page 175.



Dark Grey (DG)



Mid Grey (MG)



Light Grey (LG)



StoneMaster block paving in Light, Mid and Dark Grey, installed by Bradstone Assured landscaper A1 Paving Altrincham Ltd - www.a1paving.co.uk

StoneMaster block paving in Light Grey, Mid Grey and Dark Grey



Driveway
block paving



Discover more, visit bradstone.com



Woburn Rumbled block paving in Graphite installed by Bradstone Assured landscaper Highgrove Landscaping - www.highgrovelandscaping.co.uk



Driveway
block paving



WOBURN RUMBLED

Create an unforgettable first impression



Woburn Rumbled block paving in Autumn, installed by Bradstone
Assured landscaper P Halliday LTD - www.phallidayltd.co.uk



Driveway
block paving

WOBURN RUMBLED

Create an unforgettable first impression

Woburn Rumbled brings a delightful cobble style block paving to any driveway. We still use the traditional method of rumbling which gives the most authentic finish on the whole block. This block paving features a weathered appearance and mottled effect, which helps create a sense of real period charm and character. Available in four shades, each perfectly complements the cobble style.

For technical details go to page 175.



Autumn **(Au)**



Rustic **(Ru)**



Brindle **(Bd)**



Graphite **(Gr)**



Kerb in
Autumn **(Au)**



Kerb in
Rustic **(Ru)**



Kerb in
Graphite **(Gr)**

For technical kerb information go to page 177.

FREE SAMPLES
OF OUR PRODUCTS AVAILABLE
AT **BRADSTONE.COM**



Get a feel for any of our products with a **free sample**. Visit **bradstone.com**

Woburn Rumbled Infilta block paving in Rustic



Driveway
block paving

WOBURN RUMBLED INFILTA

When it pours, this stylish paving reigns

Woburn Rumbled Infilta not only offers the distinctive period charm and character of Woburn Rumbled block paving, but when used with a permeable sub-base it provides a surface that filters surface water away, stopping it from collecting on the driveway. This is particularly important in light of stringent legislation regarding front driveways*. It's available in three shades, all of which perfectly complement the cobble style.

For technical details go to page 175. To complete the Infilta system see our range of Block Paving Fixing Products on page 159.



Autumn (Au)



Graphite (Gr)



Rustic (Ru)

*Please see bradstone.com for more information



Woburn Rumbled Infilta black paving in Graphite, installed
by Bradstone Assured Landscare Cotswold Paving and
Landscaping - www.cotswoldpaving.co.uk



Discover more, visit bradstone.com



WOBURN ORIGINAL

Tough enough to cope, stylish enough to stand out

Woburn Original is everything you need from a driveway. It's tough and uncompromising in performance to withstand the rigours of daily vehicle use. It's also beautifully contemporary with style cues from natural sandstone setts and is available in three shades.

For technical details go to page 176.



Autumn **(Au)**



Graphite **(Gr)**



Rustic **(Ru)**



Discover more, visit [bradstone.com](https://www.bradstone.com)

MONKSBRIDGE

A bridge to the look and style of yesteryear

Monksbridge is perfect for the driveways of traditionally styled properties. With its subtle hues and authentic weather worn appearance, this distinctive block paving adds the rustic flair of a bygone age. It's available in five colour options, all of which come in a pack that includes four different sizes. It's the ideal solution if you're looking for a rumbled look paving without the added cost. Monksbridge can also be used to create a natural stone courtyard effect in a garden setting.

For technical details go to page 176.



Cinder **(Cin)**



Royale **(Roy)**



Croft **(Cro)**



Woodland **(Wo)**



Grey-Green **(GG)**



Monksbridge block paving in Grey-Green with Woodland border, installed by Bradstone Assured landscaper Evans Innovation Landscaping – www.evansinnovationlandscaping.co.uk




Monksbridge block paving in Woodland, installed by Bradstone Assured landscaper Down To Earth – www.gardensuppliesswindon.co.uk



Driveway
block paving





LUMLEY COBBLE®


Capture the spirit of a bygone age

Lumley Cobble is the ideal way to give your driveway traditional charm. This beautiful cobble effect block paving is equally at home in the town or countryside. Available as a mixed pack featuring eight different sized cobbles which you mix to create the perfect cobbled look.

For technical details go to page 176.



Stone (Stn)



Lumley Cobble block paving in Stone, installed by Bradstone Assured landscaper
Strong-Base Driveways and Landscaping – www.strongbasedriveways.co.uk





DRIVEWAY

Real kerb appeal at an appealing price

Driveway is a stylish block paving which adds visual interest to any driveway. It's as easy on the eye as it is on the pocket, combining affordability with exceptional durability making it perfect for driveways as well as patios and paths. Available in seven different colours and in one size.

For technical details go to page 176.



Autumn **(Au)**




Burnt Oker **(BO)**



Brindle **(Bd)**



Charcoal **(Ch)**



Buff **(Bf)**



Red **(Rd)**



Grey **(Gy)**



DRIVEWAY INFILTA

*The driveway that
drains as it rains*

Driveway Infilta is both stylish and practical. When it's laid as part of a permeable solution, any water that lands on it simply drains away between the blocks, stopping surface water from collecting. Importantly, this satisfies all the stringent legislation regarding front driveways. Go to **bradstone.com** for more information

For technical details go to page 177.

To complete the Infilta system see our range of Block Paving Fixing Products on page 159.



Driveway Infilta block paving in Charcoal



Large kerb in Charcoal with Driveway block paving in Brindle

KERBS

*The perfect finishing
touch for block paving*

Kerbs are a great way to complete the look of your driveway, patio or path. Effortlessly combining style and practicality, while perfectly complementing any block paving and preventing vehicular overrun.

Available in large, medium and small sizes, the range comes in a variety of shades to complement or contrast your driveway. Accessories such as radius and corner units are also available, see page 177 for details (including technical details).



Autumn (Au)



Brindle (Bd)



Red (Rd)



Charcoal (Ch)



Large kerb



Medium kerb



Small kerb



Landscaping Features


Finishing touches that make all the difference

Your perfect garden has your own distinctive stamp on it and Bradstone gives you the opportunity to create the finish of your dreams. Whether you want to add a sense of shape with a wall, define beds with edging, accessorise with a stylish planter or create a stunning pathway, our Landscaping Features provide a touch of finesse that will make your garden yours – and yours alone.

WALLING	144
EDGING	150
STEPPING STONES	156
FLAG PAVING FIXING PRODUCTS	158
BLOCK PAVING FIXING PRODUCTS	159

**IMPORTANT INFORMATION:**

Although every effort is made to ensure accuracy, all images are for illustrative purposes only. Due to varying light conditions, it is not always possible to show the true colours of our products in a photograph. To ensure you are completely happy with the product before ordering, you can order a sample at [bradstone.com](https://www.bradstone.com) or from our Customer Care team on 01335 372289.



Natural Slate walling slips in Blue-Black, installed by Bradstone Assured landscaper PB Landscapes of Melbourne - www.pblandscapes.co.uk – See page 145 for more details



WALLING

Add a sense of shape, structure and style

Walling is not only an attractive addition to any garden, it can also help to shape and structure your garden design; connecting different elements and creating eye-catching features such as raised beds, planters, screens, ponds or even barbecues. Available in a wide range of shapes, styles, colours, textures and sizes you're sure to find the perfect fit for your needs.



OLD TOWN® WALLING

This single block of reclaimed Yorkstone profile walling gives the effect of a number of smaller blocks that work perfectly with Old Town paving. The false joints can be mortared for an even more realistic finish.



	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack linear m/ pack	Units/m ² Units/ linear m
Full block	450 x 145	GG/WL	48	0.86	3.42	14.00
Coping*	460 x 195	GG/WL	11	0.09	5.06	2.10
Thickness: 130mm, *45mm Joint width: 10mm						



Natural Slate walling slips in Blue-Black, installed by Bradstone Assured landscaper PB Landscapes of Melbourne - www.pblandscapes.co.uk - See page 145 for more details




Landscaping Features

NATURAL STONE WALLING SLIPS

This range of walling slips comes in Natural Slate and Natural Sandstone with a set of complementary shades. For a superb natural stone look, they just stick to a block wall using Bradbond walling adhesive. The slips are Z-shaped giving the appearance a random look. There are also end pieces available to finish off straight walls. Natural Stone or Porcelain is ideal as complementary coping for these walls.

	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	m ² /pack	Units/m ²
Sandstone Slips*	650x150	FB/SB/SG	6	0.02	0.54	11.11
Sandstone Slip Ends*	400/250x150	FB/SB/SG	6x2	0.02	0.54	n/a
Slate Slips^	650x150	BB/RG	6	0.02	0.54	11.11
Slate Slip Ends^	400/250x150	BB/RG	6x2	0.02	0.54	n/a


Thickness: *17-30mm, ^10-20mm, Joint width: Butt



MODE[®] PROFILED COPING

NEW RANGE

New for 2019, available in four shades, this coping is ideal to complement or contrast porcelain paving, depending upon the look you desire.



Beige (Bg)



Silver Grey (SG)



Dark Grey (DG)



Graphite (Gr)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack linear m/pack	Units/m ² Units/linear m
Mode Profiled Coping	600 x 300	Bg/SG/DG/Gr	3	0.03	1.80	1.67

Thickness: 20mm Joint width: 5mm

NATURAL SANDSTONE WALLING

A perfect complement to Natural Sandstone paving, these fully rumbled, double-sided blocks are easy to use for both straight and curved walls. Also ideal for step risers, fire pits or barbecues.



Fossil Buff (FB)



Fossil Buff coping (FB)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack linear m/pack	Units/m ² Units/linear m
Mixed sizes	n/a	FB	285	1.15	5.70	n/a
Coping*	450 x 160	FB	28	0.25	12.88	2.20

Thickness: 55-75mm, *35-40mm Joint width: 10-15mm
Mixed size pack contains: 285 blocks (60 No. 325x100, 100 No. 270x100 and 125 No. 215x100mm)



MADOC WALLING

This single block of slate profile walling gives the effect of separate slate pieces laid together. Unique Z-shaped blocks make it easy to build walls and planters.



Weathered Cotswold full block (WcT)



Weathered Cotswold sneck (WcT)



Weathered Cotswold coping (WcT)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack linear m/pack	Units/m ² Units/linear m
Full block	580 x 100 x 140	WcT	50	0.76	3.30	15.20
Sneck	110 x 100 x 70	WcT	50	0.08	n/a	n/a
Coping*	470 x 130 x 45	WcT	60	0.36	28.80	2.10


Joint width: Butt, *10mm

ANCESTRY[®] WALLING

This pitched effect block is perfect for either straight or curved walls. Available in two shades and a mixed size pack.



Abbey Original (AbO)



Abbey Storm (AbS)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack linear m/pack	Units/m ² Units/linear m
Walling pack	Mixed sizes	AbO/AbS	180	0.76	4.22	n/a
Coping*	530 x 300	AbO/AbS	14	0.30	7.56	1.90
Coping*	530 x 150	AbO/AbS	14	0.12	7.56	1.90

Thickness: 100mm, *50mm Joint width: 10mm
Mixed size pack contains: 180 blocks (60 No. 225x65, 60 No. 300x65 and 40 No. 225x140mm)





COUNTRYSTONE WALLING

This fully rumbled, mainly double-sided product – available in three sizes – has been designed to complement Textured, Old Riven and Ashbourne paving. Finish off your wall with Textured coping.



Buff (Bf)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack linear m/pack	Units/m ² Units/linear m
Full block	290 x 136	Bf	57	0.46	2.50	22.80
Full block	290 x 63	Bf	228	0.89	5.00	45.70
Full block	215 x 63	Bf	288	0.92	4.70	60.90

Thickness: 90mm Joint width: 10mm



PITCHED WALLING

These pitched, predominantly double-sided single blocks can be used to easily build both straight and curved walls. It is available in three sizes and two shades and is designed for use with textured coping.



Buff (Bf)



Grey (Gy)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack linear m/pack	Units/m ² Units/linear m
Pitched walling	290 x 136	Bf/Gy	50	0.45	2.20	22.80
Pitched walling	290 x 63	Bf/Gy	216	0.86	4.70	45.70
Pitched walling	215 x 63	Bf/Gy	202	0.65	3.30	60.90

Thickness: 90mm Joint width: 10mm



TEXTURED COPING

This coping works perfectly together with Countrystone and Pitched walling. Also ideal for use as a stepping stone or long aspect paver.



Buff (Bf)



Grey (Gy)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack linear m/pack	Units/m ² Units/linear m
Textured coping	580 x 275	Bf/Gy	20	0.37	11.80	1.70
Textured coping	580 x 136	Bf/Gy	24	0.22	13.92	1.70

Thickness: 50mm Joint width: 10mm



SCREENWALL WALLING

This double-sided block is mainly used to renovate existing walling. The saddleback coping and pyramid pier caps complement Screenwall or brick walls perfectly, and come in two sizes.



(Leaf block)
Off-White (OW)



(Pyramid pier cap)
Off-White (OW)



(Saddleback coping)
Off-White (OW)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack linear m/pack	Units/m ² Units/linear m
Leaf block	290 x 290 x 90	OW	48	0.49	4.33	11.10
Saddleback coping	610 x 280 x 55	OW	12	0.18	7.44	1.60
Saddleback coping	610 x 140 x 55	OW	24	0.18	14.88	1.60
Pyramid pier cap	380 x 380	OW	12	0.18	n/a	n/a
Pyramid pier cap	305 x 305	OW	24	0.21	n/a	n/a


Joint width: 10mm

Old Town edging in Grey-Green



MODE® PROFILED EDGING

New for 2019, an ideal finish to your porcelain patio, available in four shades.



Beige (Bg)



Silver Grey (SG)



Dark Grey (DG)



Graphite (Gr)

	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	m ² /pack linear m/ pack	Units/m ² Units/ linear m
Mode Profiled Edging	600 x 300	Bg/SG/DG/Gr	3	0.03	1.80	1.67
Thickness: 20mm Joint width: Butt						

EDGING

The definition of stylish borders

The definition of stylish borders edging is a great way to define borders and herbaceous beds to make a real design statement. With our comprehensive choice of styles in both natural stone and concrete you can perfectly coordinate your edging with many of our paving options.

RUSTIC ROPE TOP EDGING

Available in three distinctive and attractive colourways, this traditional-style rope top edging has matching corners which make it easier to change direction.



Antique Red (AR)



Cotswold (Ct)



Old Granite (OG)

Dollies Left to right:
Antique Red (AR), Cotswold (Ct),
Old Granite (OG)



	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	linear m/ pack	Units/ linear m
Top edging	600 x 150	AR/Ct/OG	38	0.30	22.80	1.66
Top corner dolly	250 x 50	AR/Ct/OG	20	0.04	1.00	n/a
Thickness: 50mm Joint width: 5mm						



NATURAL SANDSTONE EDGING

This versatile riven profile can be used as both edging and coping for walling. It beautifully complements Natural Sandstone paving.



Fossil Buff (FB)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	linear m/ pack	Units/linear m
Natural Sandstone [†] edging	450 x 160	FB	28	0.25	12.88	2.20

Thickness: 35-40mm Joint width: 10-15mm
[†]Please note: Natural stone varies in colour and mineral content.

OLD TOWN[®] EDGING

This traditional round top edging has a pleasantly weathered Yorkstone-effect profile. It complements Old Town paving and walling.



Grey-Green (GG)



Weathered Limestone (WL)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	linear m/ pack	Units/linear m
Old Town edging	450 x 200	GG/WL	34	0.34	15.30	2.20

Thickness: 50mm Joint width: 10-15mm



ECO COUNTRYSIDE EDGING

With a distinctive and stylish black fleck shade which closely resembles natural granite, this environmentally-friendly edging has 66% recycled or reclaimed material.



Black Fleck (BF)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	linear m/ pack	Units/linear m
Eco Countryside edging	914 x 150	BF	40	0.68	36.56	1.09

Thickness: 50mm Joint width: 5mm

STONEWOOD[®] SLEEPER EDGING

These rugged, rustic wood-effect sleepers have weathered, authentic profiles and are available in three sizes.



Antique Brown (AB)



Antique Brown (AB)



Antique Brown (AB)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	linear m/ pack	Units/linear m
Stonewood Sleeper edging	900 x 250*	AB	23	0.69	20.90	1.10
Stonewood Sleeper edging	600 x 250	AB	29	0.36	17.70	1.60
Stonewood Sleeper edging	250 x 250	AB	46	0.26	12.00	3.80

Thickness: 40mm, *50mm Joint width: 5mm





ANCESTRY® EDGING

Each single piece of this stone on-end edging looks like ten pieces. It can also be used as coping to create a new and strikingly different effect.



Abbey Storm (Abs)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	linear m/ pack	Units/ linear m
Ancestry edging	510 x 160	AbS	30	0.57	15.60	2.00

Thickness: 125mm Joint width: 10-15mm



SCALLOPED EDGING

Just the job when budgets are tight, this edging – in three classic colourways, buff, grey and red – offers excellent value for money.



Buff (Bf)



Grey (Gy)



Red (Rd)


	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	linear m/ pack	Units/ linear m
Scalloped edging	600 x 150	Bf/Gy/Rd	48	0.37	28.80	1.70

Thickness: 50mm Joint width: Butt



TEXTURED EDGING

Available in two subtle and elegant shades, this medium textured edging beautifully complements Textured paving.



Buff (Bf)



Grey (Gy)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	linear m/ pack	Units/ linear m
Textured edging	580 x 275	Bf/Gy	20	0.37	11.80	1.70
Textured edging	580 x 136	Bf/Gy	24	0.22	13.92	1.70

Thickness: 50mm Joint width: 10mm



ROUND TOP EDGING

A great value edging which comes in attractive buff, grey and dark grey colour options.



Buff (Bf)



Grey (Gy)



Dark Grey (DG)

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	linear m/ pack	Units/ linear m
Round Top edging	600 x 150	Bf/Gy/DG	48	0.37	28.80	1.70

Thickness: 50mm Joint width: Butt



Round stepping stone in Cream Blend



Random stepping stone in Weathered Brown



Stonewood stepping stone in Antique Brown



STEPPING STONES

Step this way for a delightful garden feature

Stepping stones are a charming feature in any garden. Set in lawns and gravel or even in borders interspersed with planting, they offer a practical way to walk about your garden and add interest and character.

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Thickness (mm)
Natural Sandstone [†]	300 x 450	FB	56	0.50	n/a	20-24
Natural Limestone [†]	300 x 450	BB	56	0.50	n/a	20-24
Round	Ø 450	BrB/CrB	70	0.80	n/a	32
Random	450 x 350	WG/WB	70	0.80	n/a	32
Stonewood	290-450	AB	36	0.47	n/a	50

[†]Please note: Natural stone varies in colour and mineral content.

RANDOM STEPPING STONE

Featuring a riven surface and a naturalistic fettled edge, choose from weathered grey or weathered brown colour options to complement Ashbourne or other traditional paving ranges.



Random stepping stone Weathered Brown (**WB**)



Random stepping stone Weathered Grey (**WG**)

NATURAL SANDSTONE STEPPING STONE

In a rugged fossil buff colourway, this stepping stone complements our natural stone paving ranges.



Natural Sandstone stepping stone Fossil Buff (**FB**)

STONEWOOD STEPPING STONE

In deep, characterful antique brown, these stones imitate natural wood but offer much more durability and need much less maintenance.



Stonewood[®] stepping stone Antique Brown (**AB**)

NATURAL LIMESTONE STEPPING STONE

Designed to work with our natural stone paving, this stepping stone is available in striking Blue-Black.



Natural Limestone stepping stone Blue-Black (**BB**)

ROUND STEPPING STONE

With a riven surface, these brown blend or cream blend stones complement Ashbourne or other traditional paving ranges.



Round stepping stone Brown Blend (**BrB**)



Round stepping stone Cream Blend (**CrB**)

FLAG PAVING FIXING PRODUCTS

BRADPOINT® JOINTING COMPOUND

Bradpoint jointing compound is specially developed to ensure that your patio is jointed to perfection. It is suitable for use with all of our paving products, including porcelain, it is frost resistant and when cured provides a flexible yet durable finish. And it's so easy to use, you can apply Bradpoint in any weather, you simply brush it into the joints. One 20kg tub will typically cover 8.5m².*

Bradpoint® is available in three colours.



Black (B)



Grey (Gy)



Natural (Na)



*COVERAGE

Typically 8.5m². Example: a 15.3m² patio pack with 10-15mm joints that are 20-24mm deep will require two tubs. Each tub contains two foil bags with a coverage of 4.25m² per bag.

BRADBOND® SLURRY PRIMER

Bradbond is a cementitious slurry primer that can be used on any paving product to help strengthen the bond between the paving and the sub-base onto which the patio is being laid. Bradbond should be applied to the whole underside of all Porcelain, Smooth Natural Sandstone, Natural Slate, Riverwashed Limestone and Granite paving prior to laying to improve adhesion to the mortar bed. Bradbond is so easy to use. You simply add water (refer to tub instructions) to the already blended mixture that comes in the tub and apply it with a brush to the back of each slab before you lay them. One 17kg tub will cover a nominal 12.75m² of paving, when applied with a thickness of 3mm.



BRADBOND® WALLING ADHESIVE

Bradbond walling adhesive is a flexible cladding adhesive for external floor and wall applications. It's specially formulated to make it easy to work with when fixing brick slips and natural stone to a range of substrates including sand/cement render, brick or block work. Simply mix 4.42 litres of clean water with each 17kg tub and apply 1m at a time to a thickness of 3-20mm before leaving for 16 hours to set.



*COVERAGE

Typical coverage per tub is 4.25m² at a depth of 3mm



IMPORTANT: Before using any of the Bradbond or Bradpoint products please read and follow the instructions on the packaging. Usage information can also be found at bradstone.com

BLOCK PAVING FIXING PRODUCTS

BEDDING AGGREGATE

A 2-6mm open graded aggregate which is designed for the bedding course for Bradstone Infilta block paving to allow permeability.



Bedding aggregate

JOINTING AGGREGATE

A 3mm washed aggregate which is designed for jointing Bradstone Infilta block paving to allow permeability.



Jointing aggregate

DRAINAGE AGGREGATE

A 4-20mm open graded aggregate which is designed for the storage sub base for Bradstone Infilta block paving.



Drainage aggregate

KILN DRIED SAND

The ideal sand to use for the joints when laying Bradstone block paving.



Kiln dried sand



IMPORTANT: Drainage Aggregate (base), Bedding Aggregate (top layer) and Jointing Aggregate are for the permeable block paving (Infilta) only. All three stages (base, top layer and jointing) are satisfied by Kiln Dried Sand for normal block paving. For more information visit bradstone.com

TECHNICAL INFORMATION: *Porcelain*



ROMELI® NEW RANGE

See page 19 for product details


	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	800 x 400	Bf/G	48	0.69	15.36	3.13

Thickness: 20mm Joint width: 10mm



VETUSTO®

See page 29 for product details



18.36m² patio pack
(Approx size: 5100 x 3600mm)

KIT CONSISTS OF:

- 30 = 595 x 595mm
- 36 = 595 x 295mm
- 12 = 295 x 295mm


	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
18.36m² patio pack	5100 x 3600	Du/BB/RG	78	0.88	18.36	n/a

Thickness: 20mm Joint width: 5mm



HALUS™ NEW RANGE

See page 21 for product details



19.89m² patio pack
(Approx size: 5100 x 3900mm)

KIT CONSISTS OF:

- 18 = 895 x 595mm
- 16 = 595 x 595mm
- 18 = 595 x 295mm
- 13 = 295 x 295mm

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
19.89m² patio pack	5100 x 3900	Bf/G	65	0.90	19.89	n/a

Thickness: 20mm Joint width: 5mm



MANZANO®

See page 31 for product details


	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	1200 x 600	Pe/Gy	28	0.98	20.16	1.39
Paver	600 x 600	Pe/Gy/B	60	1.05	21.60	2.78

Thickness: 20mm Joint width: 5mm



ASPERO®

See page 25 for product details



18.36m² patio pack
(Approx size: 5100 x 3600mm)

KIT CONSISTS OF:

- 30 = 595 x 595mm
- 36 = 595 x 295mm
- 12 = 295 x 295mm

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
18.36m² patio pack	5100 x 3600	Bg/SG/DG/Gr	78	0.88	18.36	n/a

Thickness: 20mm Joint width: 5mm



MANZANO® MOSAICS

See page 33 for product details


	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Mosaic	600 x 600	Pe/Gy/B	60	1.05	21.60	2.78
Mosaic	600 x 300	Pe	72	0.61	12.96	5.56
Mosaic	900 x 225	Pe	96	0.93	19.44	4.94

Thickness: 20mm Joint width: 5mm



MODE® PROFILED

See page 39 for product details



MODE® PROFILED STEPS

See page 41 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
Steps	900 x 450	Bg/SG/DG/Gr	1	0.02	0.41	2.47

Thickness: 20mm Joint width: 5mm



MODE® TEXTURED

See page 43 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
Paver	600 x 600	Bg/Sh/DG/Gr	60	1.05	21.60	2.80

Thickness: 20mm Joint width: 5mm



PAUTA®

See page 45 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
Paver	600 x 600	SG/MG	60	1.05	21.60	2.78
Paver	900 x 450	SG/MG	65	1.25	26.33	2.47

Thickness: 20mm Joint width: 5mm

CAUSSE®

See page 47 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
Paver	600 x 600	LG/DG	60	1.05	21.60	2.78

Thickness: 20mm Joint width: 5mm

TORDILLO®

See page 49 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
Paver	600 x 600	Wh	60	1.05	21.60	2.78


Thickness: 20mm Joint width: 5mm



MADERA ANTIGUA®

See page 51 for product details

HOW TO LAY MADERA PAVING



DO NOT start pavers on alternative rows at the same point.



Pavers should be staggered to a MAXIMUM OF 33%.


	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
Paver	900 x 150	Gy/Oa	144	0.91	19.44	7.41
Thickness: 20mm Joint width: 5mm						



ARENARIA®

NEW RANGE

See page 53 for product details



- 18.36m² patio pack
(Approx size: 5100 x 3600mm)
- KIT CONSISTS OF:
- 30 = 595 x 595mm
 - 36 = 595 x 295mm
 - 12 = 295 x 295mm

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
18.36m ² patio pack	5100 x 3600	LG/DG/Cr	78	0.88	18.36	n/a
Thickness: 20mm Joint width: 5mm						



BROOKLYN®

NEW RANGE

See page 55 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
Paver	600 x 600	LG/DG/Cr	60	1.05	21.60	2.78
Thickness: 20mm Joint width: 5mm						



TEPHRA®

NEW RANGE

See page 57 for product details


	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
Paver	600 x 600	LG/DG/Cr	60	1.05	21.60	2.78
Thickness: 20mm Joint width: 5mm						





OLD TOWN®


See page 63 for product details



6.4m² patio pack (Approx size: 2800 x 2300mm)

KIT CONSISTS OF:

- 03 = 600 x 600mm
- 03 = 600 x 450mm
- 02 = 450 x 450mm
- 09 = 600 x 300mm
- 12 = 450 x 300mm
- 06 = 300 x 300mm




8.8m² patio pack with slate edging
(Approx size: 3200 x 2750mm)

KIT CONSISTS OF:

- 04 = 600 x 600mm
- 09 = 600 x 300mm
- 09 = 600 x 150mm (slate edging)
- 05 = 600 x 450mm
- 08 = 450 x 450mm
- 09 = 300 x 450mm
- 05 = 300 x 300mm

Old Town Slate edging



Ø 4m circle with 4m² squaring off kit
(Circle approx size: Ø 4000mm)
(Squared up approx size: 4000 x 4000mm)

KIT CONSISTS OF:


- 04 = centre
- 16 = middle
- 16 = outer

OUTER CIRCLE KIT CONSISTS OF:

- 16 = pavers

SQUARING OFF KIT CONSISTS OF:

- 20 = squaring off pavers



Ø 2.8m circle with 2.8m² squaring off kit
(Circle approx size: Ø 2800mm)
(Squared up approx size: 2800 x 2800mm)

KIT CONSISTS OF:

- 04 = centre
- 16 = middle
- 16 = outer

SQUARING OFF KIT CONSISTS OF:

- 12 = squaring off pavers

	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	m ² /pack	Units/m ²
Paver	900 x 600*	GG/WL	10	0.55	5.60	1.80
Paver	600 x 600	GG/WL	22	0.68	8.20	2.70
Paver	600 x 450	GG/WL	48	1.18	13.50	3.60
Paver	600 x 300	GG/WL	46	0.71	8.70	5.30
Paver	450 x 450	GG/WL	48	0.85	10.20	4.70
Paver	300 x 450	GG/WL	46	0.57	6.60	7.00
Paver	300 x 300	GG/WL	48	0.40	4.60	10.40
6.4m ² patio pack	2800 x 2300	GG/WL/DG/OQ	35	0.53	6.40	n/a
8.8m ² patio pack with slate edging	3200 x 2750	GG	49	0.73	8.80	n/a
2 ring circle	Ø 2800	GG/WL	36	0.52	6.15	n/a
Circle outer	Ø 4000	GG/WL	16	0.61	6.41	n/a
2 ring circle squaring off kit	2800 x 2800	GG/WL	12	0.13	1.69	n/a
Circle outer squaring off kit	4000 x 4000	GG/WL	20	0.28	3.44	n/a

Thickness: 40mm, 44mm* Joint width: 10-15mm



CARPET STONES

See page 65 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
Paver	1200 x 400	Ch/RR	30	0.95	14.90	2.00

Thickness: 40mm Joint width: 10-15mm

STONEMASTER®

See page 67 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
Paver	800 x 200	LG/MG/DG	32	0.95	5.12	6.25

Thickness: 80mm Joint width: n/a

PANACHE GROUND

See page 69 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
Paver	450 x 450	Wh/SG/MG	40	0.88	8.10	4.90

Thickness: 40mm Joint width: 5mm



MAHINA®

See page 71 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	600 x 600	LG/DG	20	0.58	7.20	2.78
Paver	450 x 450	LG/DG	40	0.70	8.10	4.90

Thickness: 35mm Joint width: 5mm



MOORDALE TEXTURED

See page 73 for product details


	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	600 x 600	Bt/N	20	0.58	7.20	2.78
Paver	600 x 300	Bt/N	21	0.30	3.80	5.56
Paver	300 x 300	Bt/N	42	0.30	3.80	11.11

Thickness: 35mm Joint width: 5mm



OLD RIVEN


See page 77 for product details



5.25m² patio pack
(Approx size: 2450 x 2150mm)

KIT CONSISTS OF:

- 08 = 600 x 600mm
- 09 = 600 x 300mm
- 06 = 300 x 300mm



Ø 2.4m circle with 2.4m² squaring off kit
(Circle approx size: Ø 2400mm)
(Squared up approx size: 2400 x 2400mm)

KIT CONSISTS OF:

- 02 = centre
- 16 = middle
- 16 = outer middle

SQUARING OFF KIT CONSISTS OF:

- 12 = squaring off pavers


	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	600 x 600	AC/AS	29	0.73	10.79	2.70
Paver	600 x 450	ABr/AC/AG/AS	58	1.14	16.30	3.60
Paver	600 x 300	AC/AS	87	1.07	16.45	5.30
Paver	450 x 450	ABr/AC/AG/AS	58	0.83	12.30	4.70
Paver	300 x 450	ABr/AC/AG/AS	87	0.84	12.40	7.00
Paver	300 x 300	AC/AS	87	0.52	8.36	10.40
2 ring circle	Ø 2400	AC/AS	34	0.31	4.52	n/a
2 ring circle squaring off kit	2400 x 2400	AC/AS	12	0.13	1.24	n/a
5.25m² patio pack	2450 x 2150	ABr/AC/AG/AS	23	0.36	5.25	n/a

Thickness: 35mm Joint width: 10-15mm



AGED RIVEN

See page 79 for product details



9.72m² patio pack
(Approx size: 3600 x 2700mm)

KIT CONSISTS OF:

- 12 = 600 x 450mm
- 24 = 450 x 450mm
- 12 = 300 x 450mm


	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	450 x 300	DG	70	0.68	9.98	7.00
9.72m² patio pack	3600 x 2700	DG	48	0.74	9.72	n/a

Thickness: 30mm Joint width: 10-15mm



ASHBOURNE™

See page 83 for product details



9.72m² patio pack
(Approx size: 3600 x 2700mm)

KIT CONSISTS OF:

- 12 = 600 x 450mm
- 24 = 450 x 450mm
- 12 = 300 x 450mm


	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
9.72m² patio pack	3600 x 2700	Cr/YB/WG/YG	48	0.74	9.72	n/a

Thickness: 30mm Joint width: 10-15mm



TEXTURED

See page 87 for product details



2 ring circle
(Approx size: Ø 2400mm)

KIT CONSISTS OF:

- 02 = centre
- 08 = inner
- 16 = outer

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
Paver*	600 x 600	DG/Bf/Gy/Rd	20	0.58	7.20	2.80
Paver	450 x 450	DG/Bf/Gy/Rd	40	0.70	8.10	4.90
Paver	600 x 300	Bf	21	0.30	3.80	5.60
Paver	300 x 300	Bf	42	0.30	3.80	11.10
2 ring circle	Ø 2400	Bf	26	0.35	4.52	n/a

Thickness: 32mm, *35mm Joint width: 5mm



EDALE

See page 89 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
Paver	450 x 450	Cr/Gy/DG	76	0.98	16.08	n/a

Thickness: 30mm Joint width: 10-15mm



PEAK

See page 91 for product details


	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
Peak Riven	600 x 600	Bf/N/Rd/DG	20	0.51	7.44	2.70
Peak Riven	450 x 450*	Bf/N/Rd/DG	40	0.55	8.46	4.70
Peak Smooth	600 x 600	Bf/N	20	0.58	7.20	2.80
Peak Smooth	450 x 450*	Bf/N	44	0.61	8.90	4.90
Peak Smooth	400 x 400**	Bf/N	52	0.54	8.30	6.30

Thickness: 35mm, *32mm, **28mm Joint width: Riven = 10-15mm Smooth = 5mm
Please Note: Limited protection in transit means surfaces may scratch.



SMOOTH NATURAL SANDSTONE

See page 99 for product details



15.3m² patio pack (Approx size: 4570 x 3340mm)

KIT CONSISTS OF:

- 13 = 900 x 600mm
- 13 = 600 x 600mm
- 13 = 600 x 300mm
- 09 = 300 x 300mm

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack linear m/pack	Units/m ² Units/linear m
15.3m ² patio pack	4570 x 3340	Du/SG/VR	48	0.75	15.30	n/a

Thickness: 18-22mm Joint width: 5-10mm Country of origin: India

SMOOTH NATURAL SANDSTONE STEPS

See page 101 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
Step	600 x 350	Du/SG	10	0.30	2.20	4.55
Step Corner	350 x 350	Du/SG	20	0.35	1.30	7.72

Thickness: 50mm Joint width: 5-10mm Country of origin: India

NATURAL GRANITE

See page 103 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
Paver	900 x 900	SG	18	1.00	14.58	1.23
Paver	600 x 600	SG	40	0.96	14.40	2.80
Paver	600 x 300	SG	80	0.96	14.40	5.60
Paver	300 x 300	SG	80	0.50	7.20	11.10

Thickness: 23-27mm Joint width: 5-10mm Country of origin: China


	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
Setts	100 x 100	SG	900*	1.25	10.84	83.00

Thickness: 50mm Joint width: 5-15mm Country of origin: Portugal
*Number per pack can vary by up to 30%



NATURAL SLATE

See page 105 for product details



11.88m² patio pack (Approx size: 4870 x 2440mm)

KIT CONSISTS OF:

- 15 = 600 x 600mm
- 26 = 600 x 295mm
- 16 = 295 x 295mm


	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
Paver	600 x 600	BB	40	0.82	14.90	2.70
Paver	600 x 300	BB	85	0.88	16.10	5.30
11.88m ² patio pack	4870 x 2440	BB/RG	57	0.65	11.88	n/a

Thickness: 20-25mm Joint width: 10-15mm



HONEYMEDE LIMESTONE

See page 107 for product details



10.2m² patio pack (Approx size: 3690 x 2760mm)

KIT CONSISTS OF:

- 06 = 600 x 600mm
- 10 = 600 x 450mm
- 10 = 600 x 300mm
- 10 = 450 x 450mm
- 05 = 450 x 300mm
- 04 = 300 x 300mm


	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
10.2m ² patio pack	3690 x 2760	H	45	0.63	10.20	n/a

Thickness: 20-24mm Joint width: 10-15mm Country of origin: India



RIVERWASHED LIMESTONE

See page 109 for product details



15.3m² patio pack (Approx size: 4570 x 3340mm)

KIT CONSISTS OF:

- 13 = 900 x 600mm
- 13 = 600 x 600mm
- 13 = 600 x 300mm
- 09 = 300 x 300mm


	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
15.3m ² patio pack	4570 x 3340	StG	48	0.83	15.30	n/a

Thickness: 18-22mm Joint width: 5-10mm Country of origin: India



NATURAL LIMESTONE

See page 111 for product details



15.3m² patio pack (Approx size: 4570 x 3340mm)

KIT CONSISTS OF:

- 13 = 900 x 600mm
- 13 = 600 x 600mm
- 13 = 600 x 300mm
- 09 = 300 x 300mm


	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
Paver	600 x 300	BB	85	0.95	16.10	5.30
Paver	600 x 600	BB	40	0.95	14.90	2.70
Paver	900 x 600	BB	28	0.82	15.50	1.80
15.3m ² patio pack	4570 x 3340	BB/AZ	48	0.83	15.30	n/a

Thickness: 18-22mm Joint width: 10-15mm Country of origin: India



BLENDED NATURAL SANDSTONE

See page 119 for product details



19.52m² patio pack (Approx size: 4905 x 3980mm)

KIT CONSISTS OF:

- 16 = 900 x 600mm
- 15 = 600 x 600mm
- 18 = 600 x 290mm
- 16 = 290 x 290mm


	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m ² /pack	Units/m ²
Paver	900 x 600	ImG/RB/RG/BU	28	0.69	15.75	1.85
19.52m ² patio pack	4905 x 3980	ImG/RB/RG/BU	65	0.84	19.52	n/a

Thickness: 18mm Joint width: 10-20mm Country of origin: India



NATURAL SANDSTONE


See page 117 for product details



15.3m² patio pack (Approx size: 4570 x 3340mm)

KIT CONSISTS OF:


- 13 = 900 x 600mm
- 13 = 600 x 600mm
- 13 = 600 x 300mm
- 09 = 300 x 300mm



Ø 3.3m circle with 3.65m² squaring off kit
(Circle approx size: Ø 3300mm)
(Squared up approx size: 3650 x 3650mm)

KIT CONSISTS OF:

- 16 = outer circle
- 16 = outer middle
- 08 = inner circle
- 01 = centre



Ø 2.46m circle with 2.72m² squaring off kit
(Circle approx size: Ø 2460mm)
(Squared up approx size: 2720 x 2720mm)

KIT CONSISTS OF:

- 16 = outer circle
- 08 = inner circle
- 01 = centre

	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	m²/pack	Units/m²
Paver	900 x 600	AGr/FB/SB/SG	28	0.82	15.50	1.80
Paver	600 x 600	AGr/FB/SB/SG	40	0.78	14.90	2.70
Paver	600 x 300	AGr/FB/SB/SG	85	0.80	16.10	5.30
Paver	300 x 300	AGr/FB/SB/SG	85	0.42	8.15	10.40
15.3m² patio pack	4570 x 3340	AGr/FB/SB/SG/M/HR	48	0.80	15.30	n/a
2 ring circle	Ø 2460	AGr/FB/SB/SG	25	0.28	4.75	n/a
2 ring circle squaring off kit	2720 x 2720	AGr/FB/SB/SG	12	0.18	2.65	n/a
3 ring circle	Ø 3300	FB/SB	41	0.50	8.56	n/a
3 ring circle squaring off kit	3650 x 3650	FB/SB	20	0.28	4.74	n/a

Thickness: 20-24mm Joint width: 10-15mm Country of origin: India

	Nominal size (mm)	Colours	Units/ pack	Pack weight (t)	m²/pack	Units/m²
Setts	100 x 100	AGr/FB/SB	750	0.77	8.80	85.00

Thickness: 30-45mm Joint width: 15-20mm



STONEMASTER®

See page 125 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Single sizes	300 x 100*	DG/MG/LG	240	0.96	7.20	33.30
Mixed sizes	n/a	DG/MG/LG	400	1.02	10.20	n/a

Thickness: 50mm, *60mm
Mixed size pack contains: 400 blocks (80 No. 250x150, 80 No. 200x150, 160 No. 150x150 and 80 No. 100x150mm)



WOBURN RUMBLED

See page 129 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack linear m/ pack	Units/m² Units/ linear m
Paver	200 x 134	Au/Bd/Ru/Gr	336	1.02	9.05	37.00
Paver	134 x 134	Au/Bd/Ru/Gr	504	1.02	9.05	56.00
Paver	100 x 134	Au/Bd/Ru/Gr	672	1.02	8.98	75.00
Kerbs*	200 x 125	Au/Ru/Gr	192	0.90	19.20	10.00

Thickness: 50mm, *100mm (Paving also available in 60mm thickness in Autumn, Graphite and Rustic)



WOBURN RUMBLED INFILTA

See page 131 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	200 x 134	Au/Ru/Gr	312	1.14	8.43	37.00
Paver	134 x 134	Au/Ru/Gr	468	1.14	8.35	56.00
Paver	100 x 134	Au/Ru/Gr	624	1.14	8.32	75.00

Thickness: 60mm



WOBURN ORIGINAL

See page 133 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	200 x 134	Au/Ru/Gr	336	1.02	9.05	37.00
Paver	134 x 134	Au/Ru/Gr	504	1.02	9.05	56.00
Paver	100 x 134	Au/Ru/Gr	672	1.02	8.98	75.00

Thickness: 50mm (Also available in 60mm thickness in Graphite and Rustic)



MONKSBRIDGE

See page 135 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Mixed sizes	n/a	Cin/Oro/Roy/ GG/Wd	360	1.01	9.60	n/a

Thickness: 50mm

Each pack contains: 360 blocks (80 No. 250x150, 100 No. 200x150, 120 No. 150x150 and 60 No. 100x150mm)



LUMLEY COBBLE

See page 137 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Mixed sizes	n/a	Stn	240	1.00	7.48	n/a

Thickness: 60mm

Each pack contains: 240 blocks (24 No. 280x170, 24 No. 240x170, 48 No. 200x170, 48 No. 160x170, 32 No. 280x130, 16 No. 240x130, 16 No. 200x130, 32 No. 120x130)



DRIVEWAY

See page 139 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	200 x 100	Au/Bd/Bt/Gy/BO/Ch/Rd	488	1.11	9.76	50.00

Thickness: 50mm (Also available in 60mm thickness in all colours)



DRIVEWAY INFILTA

See page 140 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack	Units/m²
Paver	200 x 100	Au/Rd/Bd/Ch	404	0.99	8.08	50.00

Thickness: 60mm


KERBS

See page 141 for product details

	Nominal size (mm)	Colours	Units/pack	Pack weight (t)	m²/pack linear m/ pack	Units/m² Units/ linear m
Large kerb	200 x 125	Bd/Ch/Rd	192	0.90	19.20	10.00
Medium kerb	150 x 150	Ch	240	1.06	24.00	10.00
Small kerb	125 x 125	Bd/Ch/Rd	1	< 0.01	n/a	10.00

Thickness: 100mm Joint width: Butt

Also available for the large and small kerbs are a range of accessories which allow you to turn corners or edge a curved driveway.



ADDITIONAL LANDSCAPING MATERIALS



As part of the Aggregate Industries group, we can also offer ready-mixed concrete and asphalt surfacing materials for your garden or driveway project.

If you're looking for concrete for a shed base, a garden path or for the foundations of your garden walls then our **Concrete2You** service can deliver direct to your door. Simply visit concrete2you.com and we can help guide you to the right concrete mix and help you calculate how much concrete you will need.

If you're thinking of asking your landscaper to install an asphalt driveway or pathway then our **Express Asphalt** service offers them collection locations across the country. All our plants offer service guarantees that mean your landscaper will receive the most reliable service the industry has to offer.



For more information or advice on our concrete services, please call **0345 939 0014**. For asphalt enquiries please call **08450 757 799** or simply visit www.aggregate.com

ADDITIONAL INFORMATION

Product Images

The designs shown in the brochure are for illustrative purposes only. Every effort is made to ensure the accuracy of all content in this guide, however due to varying light conditions it is not always possible to show the true colours of products in a photograph. Before ordering please always view a sample of current stock. You can do this in several ways: By ordering a **FREE** sample from bradstone.com or by calling **01335 372289** or by visiting a display at your local stockist (to find your nearest stockist visit bradstone.com)

Cost

Your local stockist will be able to advise on product pricing. However, to give you an indication of price we include a £ icon on each product showing its value. The more £s a product has, the more premium it is considered to be. Please be aware that paving is just one element of the total cost and is rarely the largest outlay.

Sizes and joint widths

Size dimensions quoted within this brochure are nominal and for guidance only. Actual sizes will vary, particularly where riven profiles and fettled edges are a feature of the product. Always dry lay the product to check area required (especially circles and patio kits). See joint widths recommended for products in the technical information. All m² coverage is approximate and may vary. All products are manufactured to industry standard tolerances.

General information

Bradstone products and materials, unless otherwise stated, are for domestic landscaping and driveway projects.

Decorative flag paving and some edgings are not recommended for use on driveways. All products must be checked on arrival and in the unlikely event of products reaching you in a less than satisfactory condition, please refer to your stockist immediately, allowing time for the rejected product to be replaced.

When you receive your product you may notice minor scuffing on the surface. This can occur due to movement in transit and will generally disappear in time. De-icing salts should not be used on any of the Bradstone product range. Bradstone does not recommend the use of jet/ power washers as this may affect the surface of the product over time.

All products can develop algae and organic growths under certain environmental conditions and may require cleaning.

Areas adjacent to borders, plant pots and trees may discolour from transfer of plant life; specialist maintenance advice may need to be sought.

For advice on cleaning and general maintenance of your patio please refer to our website.

Aggregate Industries cannot accept responsibility for any of the above conditions. Should you require further advice in this area call our customer care team on **01335 372289**.

Health and safety

Due to the nature of our products we always recommend suitable lifting equipment be used for larger products such as 1200 x 600mm and 900 x 900mm pavers. We recommend the use of lifting equipment such as a vacuum lift.

- Always wear gloves and safety footwear when handling the product.
- Always wear safety goggles, safety footwear, gloves, ear protection and appropriate respiratory protection when using cutting equipment.
- Ensure the products are on level ground and retained in some way before removing any packaging.
- Always handle with care as breakage and chipping may result from mishandling.

Order Choice

The Bradstone Order Choice service means that you can order certain products from any Bradstone stockist, even if they do not actually stock that particular product. Simply ask your stockist.

Please note: We do not split patio feature kits.

Bradstone Assured terms and conditions

Bradstone Assured installers are subject to regular quality checks and assessments and are required to abide by the Bradstone Assured terms and conditions of membership at all times. Bradstone offers a 10 year guarantee on products installed by our Bradstone Assured installers, as well as a 5 year guarantee on their workmanship from the date issued on your personal certificate. Full terms and conditions are available from your Bradstone Assured installer.

Each Bradstone Assured installer is directly responsible for the management of the relationship with their customers and any enquiries. Please note that the resulting legal contract is between you and the Bradstone Assured installer and is subject to the terms and conditions of that member. They will advise you of these conditions themselves.

You should carefully review their terms and conditions applying to the purchase of your products and/or services. Claims or suggestions should be addressed directly to the Bradstone Assured installer providing the relevant products or services.

KEY PRODUCT INFORMATION

Block paving colour swatches

Colour variations can occur within packs, therefore:

Ensure your sample and blocks are from the same factory. Block paving should be ordered from the same batch number to avoid colour variation. Do not mix blocks from different factories. Bradstone cannot accept responsibility once blocks are laid from different batches. Best results are achieved through mixing from 3 to 5 different packs and from vertical columns rather than horizontal rows.

We recommend a neoprene faced or rubber sole plate on vibrating plate compactors to reduce scuffing (specifically on our Stonemaster and Woburn Original ranges). Light colours are susceptible to staining and care should be given when selecting blocks for driveways.

Natural stone colour and maintenance

All natural stone products (Sandstone, Limestone, Slate and Granite) will have colour and texture variation to a greater or lesser extent within single pieces and from piece to piece.

We recommend a reasonable amount of product is viewed at your local stockist before ordering. Natural stone products may contain minor imperfections. These will depend on the characteristics of the product i.e. fossils, ferns, veining and quartz. Natural stone may develop added marking, deposits or patches as mineral content oxidises.

Product should be mixed from a number of packs prior to installation. Natural stone should always be laid on a full wet mortar bed.

A slurry primer (such as Bradbond) should be applied to the underside of all Smooth Natural Sandstone, Natural Slate, Riverwashed Limestone and Granite paving prior to laying to improve adhesion.

Sandstone

Sandstone needs to be handled very carefully when installing to minimise staining and we would advise that Smooth Natural Sandstone be sealed prior to laying using a breathable sealer. However, if this is not possible, it should be covered up as it is installed and sealed as soon as it is laid.

The Silver Grey colour in all our Natural stone products will vary with differing geological conditions. Such variations can lead to small particles of ironstone within the product creating a darkening of the surface with natural weathering. Being pale in colouration, this natural weathering is more obvious with Silver Grey compared to other natural products in the Bradstone range.

Slate

Slate has many natural characteristics, therefore, care should be taken when laying to aid/enhance the overall finished aesthetic appearance. In most cases this paving has more than one usable face, we strongly recommend the following checks be made:

- Select the best finished top surface to work with ensuring it is free from calcite mineral deposits (circular white marks).
- Dry lay the paving prior to final installation/fixing to ensure the desired shade variation is achieved throughout the patio area.
- A slurry primer (such as Bradbond) should be applied to the underside of Slate paving prior to laying to improve adhesion.
- Do not use acidic based products during or after installation.
- Natural Slate is not suitable for steps and copings.

Natural Granite

A slurry primer (such as Bradbond) should be applied to the underside of Granite paving prior to laying to improve adhesion.

Do not use a resin based jointing compound with Granite.

Limestone

Indian Blue/Black Limestone is UV sensitive and over time will lighten in colour.

We do recommend sealing limestone prior to laying, or as soon after laying when practically possible.

Combined colour enhancers and sealers are available that will help keep the look for longer.

Never use acidic based products during or after installation.

Porcelain paving

Manufactured from the finest raw materials, under strict controls allows us to obtain the exceptional technical characteristics of full-body unglazed porcelain paving.

Anti-slip surface resistance

- Mode Textured = Class 3 / R12 / Group C
- Mode Profiled and Aspero = Class 2 / R11 / Group B
- All other porcelain paving = Class 3 / R11 / Group C

We recommend Bradpoint jointing compound for pointing. Do not use white cement nor materials containing black pigments. Finishes are intentionally manufactured with slightly uneven colour tones and surface decoration, these subtle variations set these products apart.

The use of a slurry primer to the reverse of each paver is both essential and more importantly critical to the overall performance of Bradstone porcelain paving. We recommend the use of Bradstone Bradbond for this. Applied to the underside using a stiff brush, it provides an exceptional bond between paver and the full wet bed underneath. Mixed to manufacturer's instructions and applied with care it forms an immediate bond which prevents the pavers from lifting or potentially moving in the future when correctly laid.

Bradstone porcelain paving can be cut on site and mostly to any size. We recommend the use of a portable saw (table saw, petrol driven disc cutter, rechargeable angle grinder) fitted with a good quality diamond porcelain blade. The blade should be water fed for dust suppression and to keep the blade cool. Scoring the product first and sawing from the face downwards will help to alleviate the potential risk of edge/surface chipping. There is a porcelain laying guide on our BradstoneUK YouTube channel.

Bradstone porcelain paving can be cleaned by applying a suitable cleaner. We strongly recommend the finished laid area be thoroughly cleaned/washed down which helps remove general building dirt, grout residue and any grease deposits that may be present. It is also recommended that periodic cleaning with a porcelain cleaner will help to keep the paving looking its best.

Dependent on the type of stain/surface residue present (i.e. suction marks, grease, grout, general building site dirt,) there is a wide range of off the shelf specialist cleaners available. Always check the manufacturer's instructions first before applying to any test area.

Concrete colour and maintenance

Colours may vary subtly, especially in blended shades. Colours will appear different during varying weather conditions such as sunlight and rain. Please check colour samples in dry conditions and in full daylight. Where possible, products should be selected from the same product batch.

Differential Weathering

Differential weathering can cause patchy dark discolourations on the surface of individual units. Again this will generally diminish over time and will not affect long term performance. This is due to differential weathering where the surface of the paving has cured at different rates. All decorative products will weather and change appearance over time.

Efflorescence

Efflorescence can appear on all paving products as white patches or a lightening of the surface colour, but seems to disappear when wet. It is formed by a normal chemical reaction which causes calcium hydroxide (lime) to migrate through the damp paving surface and then react with carbon dioxide in the atmosphere resulting in a deposit of calcium carbonate crystals. Efflorescence is very unpredictable in its occurrence and can happen at any time of the year but is more prevalent in winter.

Although there are cleaners available, efflorescence is a natural phenomenon and will generally disappear with the natural weathering process and the passage of time. Aggregate Industries cannot accept responsibility for the effect of efflorescence which can be a characteristic of all good quality products with a high cement content. For more information visit bradstone.com

Bradstone information

Bradstone reserves the right to alter specifications without prior notice. All products and services shown in this brochure are supplied subject to Aggregate Industries UK Ltd terms and conditions of sale.

No charge is levied for this brochure or the advice therein, and accordingly the company, its employees and authorised agents can accept no liability whatsoever, either directly or indirectly arising from the use of its products in connection with any information or advice contained in this guide.

Bradstone is part of Aggregate Industries UK Ltd. Aggregate Industries is the first company in the world to achieve a BES 6001:2008 Responsible Sourcing Certificate from BRE Global. Products are assessed on:

- Quality management
- Environmental management
- Health and safety management
- Greenhouse gas emissions
- Minimising raw material usage
- Labour practice
- Biodiversity
- Community engagement.

All Bradstone's manufacturing facilities are covered by BS EN ISO 9001 certification for product quality and service. Bradstone block paving products are also manufactured to, and in accordance with, BS EN 1338.

Each of the Bradstone manufacturing locations is certified to ISO 14001 for environmental management systems and 18001 for occupational health and safety. All dimensions quoted in this brochure are nominal and are for guidance only. Actual sizes may vary. Our products also conform to European harmonised standards for CE marking.

Index

Product A-Z

Aged Riven.....	79	Manzano® Mosaics	33	Random stepping stone	157
Ancestry edging	154	Mode® Profiled	35	Riverwashed Limestone.....	109
Ancestry walling.....	147	Mode® Profiled coping.....	146	Romeli®	19
Arenaria®	53	Mode® Profiled edging.....	151	Round stepping stone	157
Ashbourne™	81	Mode® Profiled steps	41	Round top edging.....	155
Aspero®	23	Mode® Textured.....	43	Rustic Rope Top edging	151
Blended Natural Sandstone	119	Monksbridge	135	Scalloped edging.....	155
Block paving fixing products	159	Moordale Textured	73	Screenwall walling	149
Brooklyn®	55	Natural Granite	103	Smooth Natural Sandstone	95
Carpet Stones.....	65	Natural Limestone.....	111	Smooth Natural Sandstone steps..	101
Causse®	47	Natural Limestone stepping stone.....	157	StoneMaster®	67
Countrystone.....	148	Natural Sandstone	113	StoneMaster® block paving	123
Driveway	139	Natural Sandstone edging	152	Stonewood stepping stone.....	157
Driveway Infilta	140	Natural Sandstone stepping stone.....	157	Stonewood sleeper edging	153
Eco Countryside edging	153	Natural Sandstone walling	146	Tephra®	57
Edale.....	89	Natural Slate.....	105	Textured	85
Flag paving fixing products	158	Natural Stone walling slips.....	145	Textured coping.....	148
Halus™	21	Old Riven	75	Textured edging.....	154
Honeymede Limestone	107	Old Town®	61	Tordillo®	49
Kerbs	141	Old Town® edging	152	Vetusto®	27
Lumley Cobble®	137	Old Town® walling.....	144	Woburn Original	133
Madera Antigua®	51	Panache Ground	69	Woburn Rumbled	127
Madoc walling	147	Pauta®	45	Woburn Rumbled Infilta.....	131
Mahina®	71	Peak.....	91		
Manzano®	31	Pitched walling	149		

My Bradstone Assured landscaper details

My favourite products

1 SQUARE
= 1 METRE